



# MedMesh GLOBAL

Compliance-Ready Stainless Steel Mesh  
for Pharma & Industry

Vendor-Ready • Fully Traceable • Built for Regulated Manufacturing

## MedMesh Global

### Compliance-Ready Stainless Steel Wire Mesh

*Vendor-Ready | Fully Traceable | Built for Regulated Manufacturing*

#### ABOUT MEDMESH GLOBAL

MedMesh Global is a specialist supplier of 316L stainless steel wire mesh for pharmaceutical, laboratory, and regulated industrial applications. Our products are designed for GMP-aligned manufacturing environments where material integrity, traceability, and supplier qualification are critical.

We focus on supplying vendor-ready materials supported by audit-aligned documentation to streamline QA approval, procurement onboarding, and tender processes.

#### TYPICAL APPLICATIONS

- Pharmaceutical milling & micronising equipment
- Powder sieving & classification
- Granulation and blending processes
- Quality Control (QC) laboratory particle size analysis
- Regulated manufacturing environments requiring validated materials

#### MATERIAL SPECIFICATION

Material: Stainless Steel 316L

Standard Roll Length: 30 metres

Weave Types: Plain Weave, Twill Weave (fine mesh)



# MedMesh GLOBAL

Compliance-Ready Stainless Steel Mesh  
for Pharma & Industry

Vendor-Ready • Fully Traceable • Built for Regulated Manufacturing

## 100 MESH – PLAIN WEAVE

Mesh	Wire Ø	Aperture	Roll Width	Weight / Roll
100	0.1 mm	0.152 mm	1.0 m	14 kg
100	0.1 mm	0.152 mm	1.2 m	17 kg
100	0.1 mm	0.152 mm	1.5 m	21 kg
100	0.11 mm	0.142 mm	1.0 m	16 kg
100	0.11 mm	0.142 mm	1.2 m	19 kg
100	0.11 mm	0.142 mm	1.5 m	24 kg

## 200 MESH – PLAIN WEAVE

Mesh	Wire Ø	Aperture	Roll Width	Weight / Roll
200	0.05 mm	0.077 mm	1.0 m	7 kg
200	0.05 mm	0.077 mm	1.2 m	8.5 kg
200	0.05 mm	0.077 mm	1.5 m	11 kg
200	0.06 mm	0.067 mm	1.0 m	9 kg
200	0.06 mm	0.067 mm	1.2 m	11 kg
200	0.06 mm	0.067 mm	1.5 m	13.5 kg

## 325 MESH – PLAIN WEAVE

Mesh	Wire Ø	Aperture	Roll Width	Weight / Roll
325	0.035 mm	0.043 mm	1.0 m	5.9 kg
325	0.035 mm	0.043 mm	1.2 m	7 kg
325	0.035 mm	0.043 mm	1.5 m	8.5 kg



# MedMesh GLOBAL

Compliance-Ready Stainless Steel Mesh  
for Pharma & Industry

Vendor-Ready • Fully Traceable • Built for Regulated Manufacturing

## 400 MESH – TWILL WEAVE

Mesh	Wire Ø	Aperture	Roll Width	Weight / Roll
400	0.028 mm	0.037 mm	1.0 m	5 kg
400	0.028 mm	0.037 mm	1.2 m	6 kg
400	0.028 mm	0.037 mm	1.5 m	7 kg
400	0.022 mm	0.0415 mm	1.0 m	2.9 kg

## COMPLIANCE & DOCUMENTATION

- ISO 9001:2015 certified manufacturing
- Material Test Certificate (MTC) – SS 316L
- Certificate of Analysis / Certificate of Conformity (CoA / CoC)
- Full batch and heat traceability
- Change control support for regulated pharmaceutical clients
- Suitable for GMP-regulated environments

MedMesh Global supplies compliance-ready stainless steel wire mesh engineered for regulated manufacturing environments. Final regulatory classification and suitability remain the responsibility of the customer in accordance with internal SOPs.